

FIG. 1




FIG. 2

((USER ID "1234")
(PLACE NAME "7-1, SHIBA 5-CHOME, MINATO-KU, TOKYO")
(LATITUDE & LONGITUDE " ")
(RANGE CONDITION "WITHIN A RADIUS OF 500m"))

FIG. 3

RANGE CONDITION TYPE	RANG CONDITION EXPRESSION	PLACE EXPRESSION
DISTANCE IN A STRAIGHT LINE	WITHIN A RADIUS OF \$X m	POINT
ROUTE	DESIGNATING ROUTE	LIST
REACHING POSSIBILITY	WITHIN \$X MINUTES ON FOOT	POINT
REACHING POSSIBILITY	WITHIN \$X YEN OF A FARE	POINT
REACHING POSSIBILITY	WITHIN \$X REQUIRING MINUTES	POINT
-----	-----	-----

F I G. 4




FIG. 4

FIG. 5




FIG. 6





FIG. 8

FIG. 8
AND CLIENTS AND METHOD THEREOF AND
STORING MEDIUM STORED PROGRAMS TO
EXECUTE INFORMATION DELIVERY
Inventor(s): Yoshihide ISHIGURO
Docket No. 072982-0231

USER ID	RANGE CONDITON TYPE	PLACE NAME	LATITUDE & LONGITUDE	RANGE CONDITION
5678	DISTANCE IN A STRAIGHT LINE	2-3, Z CHO 1-CHOME, Y CITY, X PREFECTURE		WITHIN A RADIUS OF 500m
5678	ROUTE	2-3, Z CHO 1-CHOME, Y CITY, X PREFECTURE TO 6-7,Z CHO 5-CHOME, Y CITY, X PREFECTURE		DESIGNATING ROUTE
5678	REACHING POSSIBILITY	2-3, Z CHO 1-CHOME, Y CITY, X PREFECTURE		WITHIN 15 MINUTES ON FOOT

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14





FIG. 15




FIG. 16

FROM STEP S100 & S101





FIG. 16

F I G. 17



F I G. 18





FIG. 19



F I G. 20




FIG. 20

FIG. 21




FIG. 22




FIG. 23






FIG. 23


FIG. 24




00007919-11501

FIG. 25



[illegible]

F I G. 27



F I G. 28

